

MS-6 Multi-point ultra-thin magnetic stirrer

Stirrer series

Introduction

The multi-thin ultrathin magnetic stirrer can precisely and stably stir the liquid in a wide range, especially suitable for small volume samples, and is an essential tool for petroleum, chemical, environmental protection, education and scientific research.

Features

1. Ultra-light and ultra-thin, novel appearance, compact size, saving experiment space.
2. The controller and the agitator are separated. The number and combination of stirrer can be adjusted arbitrarily, up to 6 stirrer.
3. Adopt the connection method of USB interface, easy to plug and unplug.
4. Each stirrer has its own speed and time, which makes it easier to compare experiments.
5. Touch keys and sliding touch adjustment, durable, novel and fashionable.
6. Advanced non-wearing magnetic coil technology, the operation is quieter and more stable, and the service life is longer.
7. The LCD screen displays the parameters in real time, the LED indicator shows the working status, and the instrument running status is more intuitive.



Parameters

Model	MS-6A Controller	MS-6B Stirrer
Max. stirring volume (H ₂ O)	-	1L
Motor output power	-	4W
Speed setting (running) range	20-1500rpm (increment 10)	(20-1500rpm)
Timing range	0-9 hours (0 means infinity, increment 5min)	-
Display method	LCD	-
Working plate material	-	PVC
Working plate size	-	Φ120mm
Dimensions	W.165xD.105xH.45mm	W.120xD.120xH.19mm
Weight	0.48kgs	0.18kgs
Power adapter input	AC100-240V 50/60Hz 60VA	-
Power adapter output	DC 24V, 2A	-

WMS-6 Underwater Multi-point ultra-thin magnetic stirrer


Magnetic Stirrer

Introduction

The underwater multi-point ultra-thin magnetic stirrer can precisely and stably stir the liquid in a wide range. The waterproof stirrer can be placed in a water bath of 0 to 60 °C or a high humidity constant temperature box to work, especially suitable for small volume sample, is an essential tool for petroleum, chemical, environmental protection, education and scientific research.

Feature

1. The MS-6C waterproof stirrer can be put into a water bath or work in a high-humidity constant temperature box.
2. MS-6C waterproof stirrer can stir smoothly in a suitable working temperature of 0 ~ 60 °C.
3. Ultra-light and ultra-thin, novel appearance, compact size, saving experiment space.
4. The controller and the agitator are separated. The number and combination of stirrer can be adjusted arbitrarily, up to 6 stirrer.
5. Using the USB interface connection method, easy to plug and unplug.
6. Each stirrer has a separate speed and time, making it easier to compare experiments.
7. Touch buttons and sliding touch adjustment, durable, novel and fashionable.
8. Advanced wear-free magnetic coil technology, quieter and more stable operation, longer service life.
9. LCD screen real-time display parameters, LED indicator shows working status, the running status of the instrument is more intuitive.



Parameters

Model	MS-6A Controller	MS-6C stirrer
waterproof	No	Yes
Suitable operating temp. range	Room temperature	0~60°C
Max. stirring volume (H2O)	/	1L
Motor output power	/	4W
Speed setting (running) range	connecting with MS-6C:20~1000rpm(increment 10rpm)	20~1000rpm
Timing range	0~9 hours (0 means infinity, increment 5min)	/
Display method	LCD	/
Working plate material	/	PA66
Working plate size	/	Φ120mm
Dimensions (width x length x height)	W.165xD.105xH.45mm	W.120xD.120xH.19mm
Weight	0.48kgs	0.27kgs
Power adapter input	AC100-240V 50/60Hz 60VA	/
Power adapter output	DC 24V, 2A	/