

# TKS



## PRODUCT MANUAL





# TKS electric parameters

High-performance configuration, at a glance

	BATTERY CAPACITY	RANGE	COLOUR
	10.0AH/13.0AH 21.0AH/28.6AH	ABOUT 50~150KM	
The battery	18650 LITHIUM BATTERIES		
The motor	500W		
The frame	Aluminum alloy frame		
The brake	E-ABS electronic brake + front and rear disc brake		
The controller	Brushless, dual mode controller		
The vehicle weight	About 22kg		
The bearing capacity	About 150 kg		
tire	Front wheel 10 inch + rear wheel 10 inch		
A top speed of	25km/h		
The charging time	About 3 to 4 hours		
Unfold size	47.2*8.2*50.3 cm		
Folding size	47.2*10.2*14.5 in		

# Off-road scooter

Product manual



# 产品尺寸

## Product Size





\*Reminder: The following size parameters are for the 11-inch model size. There will be slight errors in manual measurement. The actual size shall prevail.

# Off-road scooter

## Product parameter

High-performance configuration, clear at a glance

	battery capacity	Electric range	colour
<b>10Inch</b>	6Ah - 25Ah	35-100km	
<b>11Inch</b>	6Ah - 25Ah	35-100km	
Battery	18650 lithium battery		
motor	350W/1000W		
Frame	High carbon steel frame		
brake	Electronic ABS+Front and rear disc brakes		
Controller	G-Drive frequency conversion control system		
Vehicle weight	About 21-30kg		
Bearing capacity	About 150kg		
tire	10*2.5/11*2.5		
Maximum speed	25km/h		
Charging time	About 3-5 hours		
Expand Size	105x21x(90—120)cm / 115x21x(90—120)cm		
Folded size	105x21x54cm / 115x21x59cm		

# Off-road cyclone scooter

Product manual



# 产品尺寸

## Product Size



\*Reminder: There will be slight errors in manual measurement, and the actual size shall prevail.



# Off-road cyclone scooter

## Product parameter

High-performance configuration, clear at a glance

	battery capacity	Electric range	colour
<b>ES10</b>	48v/20Ah	80-100km	
Battery	18650 lithium battery		
motor	2000W		
Frame	Aluminum alloy frame		
brake	E-ABS anti-lock brake system + front and rear disc brakes		
Controller	G-Drive frequency conversion control system		
Vehicle weight	About 22.6kg		
Bearing capacity	About 150kg		
tire	10*Off-road		
Maximum speed	25-40km/h		
Charging time	About 5-10 hours		
Expand Size	110x26x(80-102)cm		
Folded size	115x37x26cm		