

For Any Technical Questions, Please Contact at info@nodesus.com

Product Name: GT Household Ultrasonic Cleaner

Part Number: GT-X1,GT-X3,GT-X5,GT-X6, GT-M1,GT-F1,GT-F5,GT-F6,
GT-U1,GT-U2,GT-U3,GT-U4,GT-U6,VGT-800,VGT-1000,VGT-1200,
VGT-2000,VGT-6250,KD-6002

Product Description:

Portable Eyeglass Ultrasonic Cleaner GT-X1:

GT-X1 is perfect for cleaning eyeglasses dirt and stains, and good for home-use and traveling. The device uses powerful 48kHz frequency of sound wave to lift and agitate the dust particles without causing any harm to them.

Features:

Unique appearance design, smooth touch just like baby skin.

One button easy operation, five minutes auto shut-off.

12V low voltage dust-proof & waterproof grade IP54, safe and durable.

Super low noise design, noise level less than 60dB.

Small portable size, convenient to carry.

For Any Technical Questions, Please Contact at info@nodesus.com
Cleaning eyeglasses, can be used in bathroom, office, during travel.

Certificates:CE、 FCC、 UKCA、 RoHS、 PSE、 GS

Mini Jewelry Ultrasonic Cleaner GT-X3:

GT-X3 is an professional ultrasonic cleaner for jewellery. It breaks through the limitations of traditional technology, making it smaller and lighter, saving space and satisfying consumers' needs of simplicity, convenience and portability.

Features:

Small and light cube structure.

Below 75dB decibel brings a comfortable experience.

Anti-overflow design tank for safe use.

Convenient to change water.

Lid Color:Black,Green.

For Any Technical Questions, Please Contact at info@nodesus.com

Rechargeable Ultrasonic Cleaner GT-X5:

GT-X5 is a professional cleaner with rechargeable batteries. It works without a power cord. The most suitable battery ultrasonic bath for glasses, makeup tools, shavers, jewelries, watches, etc.

Features:

Suitable size good for the biggest size glasses.

Below 75dB decibel brings a comfortable experience.

Anti-overflow design tank for safe use.

Convenient to change water.

Unique wireless design, 18.5Wh battery.

Use 20 times after full of charge.

UV Sterilization Ultrasonic Cleaner GT-X6:

Retro appearance & Exquisite workmanship.

Waterproof and dust-proof (IP54).

3 cleaning modes: Soft mode, Normal mode & Strong mode.

For Any Technical Questions, Please Contact at info@nodesus.com

More professional Cleaning different thing need to divide into categories.

Low noise design.

Visible UV sterilization.

Mini Ultrasonic Sterilizer GT-M1:

Touch switch.

One touch button easy operation.

Smart UV light:UV light turn on once cover the lid.

Smart indicator light:led light flash to remind cover the lid.

5mins auto shut off.

Household Ultrasonic Cleaner GT-F1:

GT-F1 focuses on cleaning, disinfection and sterilization of daily necessities such as eyeglasses, gold and silver jewelry, jewelry, razor heads, waterproof watches, dentures.

For Any Technical Questions, Please Contact at info@nodesus.com

Features:

New design for easy use.

5min auto shut-off.

Stable and durable.

After cleaning, subjects will be shining as new.

Stainless steel tank, ABS housing.

Certificates:CE/FCC/GS/ROHS/PSE.

Home Use Ultrasonic Cleaner GT-F5:

GT-F5 is generous 600ml capacity, good enough for cleaning dirty jewelry, eyeglasses, watches, utensils and more. Digital display with 5 preset cleaning cycles , default 3 mins auto shut off. Ultrasonic sound waves with 43,000 Hz for a deep and gentle clean.

Features:

Classic and practical design for family use.

5 timer Cycle: 90s-180s-280s-380s-480s.

For Any Technical Questions, Please Contact at info@nodesus.com

After cleaning, the objects will be shining as new.

Anti-overflow design tank for safe use.

Comes with basket, watch holder.

Certification: CE/FCC/Rohs/WEEE.

Household Digital Ultrasonic Cleaner GT-F6:

New upgraded product, minimalist design, efficient cleaning, with 5 cycle digital timer. It is ideal for cleaning jewels, glasses & timepieces, shaver heads, metal articles, etc.

Features:

Minimalist design--It is small in size, highly reliable in operation and automation.

Transparent cover with perfect visibility--It is easy to see the whole process of removing dirty.

5 cycle digital timer: 180S-280S-380S-480S-90S.

Certificates: CE, FCC, Rohs, PSE, UKCA.

For Any Technical Questions, Please Contact at info@nodesus.com

Dentures Ultrasonic Cleaner GT-U1:

GT-U1 is specifically made for dentures, provided with special denture tray for clean and sanitary use. This unit is different from most of the ultrasonic cleaners on the market because of its detachable tank. This makes it very convenient to change water without the need to unplug the power cord each time.

Features:

Provided with special denture tray for clean and sanitary use.

Detachable design for convenient using.

Ultrasonic physical cleaning, faster, deeper and more effective cleaning tooth gaps.

One button operating, 5 minutes auto shut off.

Patented product.

Certificates: CE, FCC, RoHS.

For Any Technical Questions, Please Contact at info@nodesus.com

UV Sterilization Ultrasonic Cleaner GT-U2:

Detachable tank makes it convenient changing water.

UV light for improving the sterilization effect.

4 cleaning modes: glasses/jewelry/watch/other.

Stainless steel tank, ABS housing.

Stable and durable.

Detachable Ultrasonic Cleaner GT-U3:

Removable tank for convenient use.

5min auto shut-off.

Stable and durable.

After cleaning, the subjects will be shining as new.

Stainless steel tank, ABS housing.

Certificates:UKCA, CE, FCC, GS, ROHS, PSE.

For Any Technical Questions, Please Contact at info@nodesus.com

New Household Ultrasonic Cleaner GT-U4:

Transparent lid for viewing the cleaning process.

Detachable tank makes it convenient changing water.

4 recycle digital timer: 2-4-6-8 minutes.

Degas function for improving the cleaning effect.

Brand new smart touch panel with sensitive touch button.

UV light for improving the sterilization effect.

Two colors LED indicator lights display the working status.

Home Use Ultrasonic Cleaner GT-U6:

Transparent lid for viewing the cleaning process.

Detachable tank makes it convenient changing water.

4 recycle digital timer: 2-4-6-8 minutes.

Degas function for improving the cleaning effect.

Brand new smart touch panel with sensitive touch button.

UV light for improving the sterilization effect.

For Any Technical Questions, Please Contact at info@nodesus.com

Two colors LED indicator lights display the working status.

600ml Jewelry Ultrasonic Cleaner VGT-800:

Practical product with simple operation.

3 minutes automatic shut-off.

Specially suitable for household use.

Accessories: baskets, watch holder.

After cleaning, the subjects will be shining as new.

Certificates FCC,CE,EMC,LVD,ROHS, GS,PSE.

Jewelry&CD Ultrasonic Cleaner VGT-1000:

New function for cleaning CD, VCD and DVD.

With digital LED display the timer.

Blue light illuminates the tank during cleaning.

5 timer settings: 180s-280s-380s-480s-90s.

Compact lid design to reduce the noise.

For Any Technical Questions, Please Contact at info@nodesus.com

Accessories: basket, CD holder.

With UKCA, FCC, CE, ROHS, GS, PSE.

Household Digital Ultrasonic Cleaner VGT-1200:

Large capacity tank designed for eyeglasses store, dental clinics and labs.

Add heating for special cleaning demands (VGT-1200H).

Blue light illuminates the tank during cleaning.

5 Cycles adjustable with digital display.

Accessories: basket.

With UKCA, FCC, CE, ROHS, PSE.

Jewelry ultrasonic cleaner VGT-2000:

With LED display, and auto open cover function.

5 timer settings: 180s-280s-380s-480s-90s.

Specially suitable for household use.

For Any Technical Questions, Please Contact at info@nodesus.com

With 2 colors for option: blue and gray.

Accessories: baskets, watch holder.

After cleaning, the subjects will be shining as new.

With FCC, CE, EMC, LVD, ROHS, GS, PSE.

Household Ultrasonic Cleaner VGT-6250:

Friendly digital control with 3-colors (blue, red, green) LED display.

5 recycle digital timer, 90, 180, 280, 380, 480 seconds.

Heating temperature: 60°C

Overheating protection function.

With degas function for improves cleaning efficiency.

Building cool fan to steady and safety working

Industrial grad ultrasonic transducer makes the unit more powerful and durable.

Large capacity tank for professional cleaning.

Detachable power cord.

For Any Technical Questions, Please Contact at info@nodesus.com

Certification: CE,FCC, RoHs.

Ultrasonic and Ozone Vegetable & Fruit Sterilizer KD-6002:

Using the principle of ultrasonic and reactive oxygen to fully remove pesticides.

Waterproof for safety using.

One-touch way for easy operate.

Do not need chemical to save water and prevent water pollution.

Applications:

Vegetables and fruits—To remove 98.9% pesticides .

Rice—Remove pesticides and disinfection.

Meat—Remove clenbuterol .

Fish—Sterilization and cleaning.

Kitchen utensil cleaning: chopping board, knife, fork.

Other cleaning: jewelry, metal, watch chain, glasses, shaver, denture, baby articles.

For Any Technical Questions, Please Contact at info@nodesus.com

Product Specification:

Model	Specification
GT-X1	<p>Ultrasonic Frequency: 48kHz</p> <p>Tank Material: Stainless Steel SUS304</p> <p>Tank Capacity: 450ml</p> <p>Timer: 5mins auto shut off</p> <p>Power Supply: DC 12V, 2A</p> <p>Ultrasonic Power: 18W</p> <p>Tank Size: 173 × 82 × 41mm</p> <p>Overall Size: 186 × 100 × 59mm</p> <p>N. W/G.W: 530/710g</p>
GT-X3	<p>Ultrasonic Frequency: 43kHz</p> <p>Tank Material: Stainless Steel SUS304</p> <p>Tank Capacity: 180ml</p> <p>Timer: 5mins auto shut off</p> <p>Power Supply: DC 12V, 2A</p> <p>Ultrasonic Power: 20W</p> <p>Tank Size: ϕ 80 × 40mm</p> <p>Overall Size: 105 × 105 × 88mm</p>

For Any Technical Questions, Please Contact at info@nodesus.com

GT-X5	<p>Tank Material: SUS304</p> <p>Tank Size: 178*62*46mm</p> <p>Overall Size: 190*105*64mm</p> <p>Ultrasonic Frequency: 46kHz</p> <p>Capacity: 430ml</p> <p>Time Setting: 3-min auto shut off</p> <p>Power Supply: (12V,2A) Adapter</p> <p>Output Power: 18w</p> <p>Battery Capacity: 18.5Wh</p> <p>Casing: Rubber effect Coating</p>
GT-X6	<p>Ultrasonic Frequency: 40kHz</p> <p>Tank Material: Stainless Steel SUS304</p> <p>Tank Capacity: 400ml</p> <p>Sterilization: UV Light</p> <p>Power Supply: DC 12V, 2A</p> <p>Ultrasonic Power: 15W</p> <p>Tank Size: 172 × 81 × 45.5mm</p> <p>Overall Size: 215 × 95 × 86mm</p>

For Any Technical Questions, Please Contact at info@nodesus.com

GT-M1	<p>Ultrasonic Frequency: 45kHz</p> <p>Tank Material: Stainless Steel SUS304</p> <p>Tank Capacity: 60ml</p> <p>Timer: 5mins auto shut off</p> <p>Power Supply: DC 12V, 1A</p> <p>Ultrasonic Power: 8W</p> <p>Tank Size: 115.2 × 42.3 × 22.3mm</p> <p>Overall Size: 122.7 × 86.7 × 48.3mm</p>
GT-F1	<p>Ultrasonic Frequency: 40kHz</p> <p>Tank Material: Stainless Steel SUS304</p> <p>Tank Capacity: 600ml</p> <p>Timer: 5mins auto shut off</p> <p>Power Supply: AC100-120V, 60Hz; AC200-240V, 50Hz</p> <p>Ultrasonic Power: 35W</p> <p>Tank Size: 154 × 94 × 46mm</p> <p>Overall Size: 209 × 200 × 121mm</p> <p>N.W/G.W:685/1050g</p>

For Any Technical Questions, Please Contact at info@nodesus.com

GT-F5	<p>Ultrasonic Frequency: 43kHz</p> <p>Tank Material: Stainless Steel SUS304</p> <p>Tank Capacity: 600ml</p> <p>Timer: 5 cycles: 180s-280s-380s-480s-90s</p> <p>Power Supply: AC100-120V, 60Hz; AC200-240V, 50Hz</p> <p>Ultrasonic Power: 35W</p> <p>Tank Size: 150 × 90 × 50mm</p> <p>Overall Size: 206 × 145 × 133mm</p> <p>N.W:895g</p>
GT-U1	<p>Volume: 450ml</p> <p>Power Supply: AC100-120V, 60Hz; AC200-240V, 50Hz</p> <p>Ultrasonic Power: 35W</p> <p>Ultrasonic Frequency: 40kHz</p> <p>Tank Material: Stainless steel SUS304</p> <p>Timer: 5 minutes auto shut off</p> <p>Overall Size: 226*130*118mm</p> <p>Tank Size: 178*85*36mm</p> <p>N.W/G.W: 860g/1116g</p>

For Any Technical Questions, Please Contact at info@nodesus.com

GT-U2	<p>Ultrasonic Frequency: 45kHz</p> <p>Tank Material: Stainless Steel SUS304</p> <p>Tank Capacity: 500ml</p> <p>Timer: glasses:120s jewelry:180s watch:240s other:300s</p> <p>Power Supply: AC100-120V, 60Hz; AC200-240V, 50Hz</p> <p>Ultrasonic Power: 35W</p> <p>Tank Size: 153 × 92 × 48mm</p> <p>Overall Size: 205 × 126 × 116mm</p>
GT-U3	<p>Ultrasonic Frequency: 40kHz</p> <p>Tank Material: Stainless Steel SUS304</p> <p>Tank Capacity: 1400ml</p> <p>Timer: 5mins auto shut off</p> <p>Power Supply: AC100-120V, 60Hz; AC200-240V, 50Hz</p> <p>Ultrasonic Power: 35W</p> <p>Tank Size: 0154 × 78mm</p> <p>Overall Size: 184 × 181 × 182mm</p>

For Any Technical Questions, Please Contact at info@nodesus.com

GT-U4	<p>Ultrasonic Frequency: 40kHz</p> <p>Tank Material: Stainless Steel SUS304</p> <p>Tank Capacity: 750ml</p> <p>Timer: 4 timer cycle: 2-4-6-8 minutes</p> <p>Power Supply: AC100-120V, 60Hz; AC200-240V, 50Hz</p> <p>Ultrasonic Power: 35W</p> <p>Tank Size: 164 × 142 × 49mm</p> <p>Overall Size: 198 × 172 × 148mm</p>
GT-U6	<p>Ultrasonic Frequency: 40kHz</p> <p>Tank Material: Stainless Steel SUS304</p> <p>Tank Capacity: 1300ml</p> <p>Timer: 4 timer cycle: 2-4-6-8 minutes</p> <p>Power Supply: AC100-120V, 60Hz; AC200-240V, 50Hz</p> <p>Ultrasonic Power: 50W</p> <p>Tank Size: 186x154x66mm</p> <p>Overall Size: 208x172x199mm</p>

For Any Technical Questions, Please Contact at info@nodesus.com

VGT-800	<p>Ultrasonic Frequency: 40kHz</p> <p>Tank Material: Stainless Steel SUS304</p> <p>Tank Capacity: 600 ml</p> <p>Timer: 3-minute Auto Shut-off</p> <p>Power Supply: AC100~120V, 60Hz/AC220~240V, 50Hz</p> <p>Power: 35W</p> <p>Tank Size: 155 × 95 × 52mm</p> <p>Overall Size: 200 × 140 × 125mm</p> <p>N. W./G.W.: 0.9/1.1kg</p> <p>Gift box size: 245 × 174 × 165mm</p> <p>Carton size : 12pcs/ctn, 546 × 509 × 355mm</p>
VGT-1000	<p>Ultrasonic Frequency: 40kHz</p> <p>Tank Material: Stainless Steel SUS304</p> <p>Tank Capacity: 750ml</p> <p>Timer: 5 cycles: 180s-280s-380s-480s-90s</p> <p>Power Supply: AC100-120V, 60Hz; AC200-240V, 50Hz</p> <p>Ultrasonic Power: 35W</p> <p>Tank Size: 150 × 130 × 50mm</p> <p>Overall Size: 200 × 175 × 145mm</p> <p>N.W: 1.1kg</p> <p>Giftbox size: 259 × 201 × 171mm</p> <p>Carton size: 12pcs/ctn, 546 × 509 × 355mm, 19kg</p>

For Any Technical Questions, Please Contact at info@nodesus.com

VGT-1200	<p>Ultrasonic Frequency: 40kHz</p> <p>Tank Material: Stainless Steel SUS304</p> <p>Tank Capacity: 1300ml</p> <p>Timer: 5 cycles: 180s-280s-380s-480s-90s</p> <p>Power Supply: AC100-120V, 60Hz; AC200-240V, 50Hz</p> <p>Ultrasonic Power: 60W</p> <p>Tank Size: 175 × 145 × 70mm</p> <p>Overall Size: 228 × 183 × 158mm</p> <p>N.W:1.7kg</p> <p>Giftbox size: 295 × 238 × 200mm</p> <p>Carton size: 8pcs/ctn, 610 × 493 × 418mm, 19.5kg</p>
VGT-2000	<p>Ultrasonic Frequency: 40 kHz</p> <p>Tank Material: Stainless Steel SUS304</p> <p>Tank Capacity: 600ml</p> <p>Timer: 5 cycles: 180s-280s-380s-480s-90s</p> <p>Power Supply: AC100~120V, 60Hz; AC220~ 240V, 50Hz</p> <p>Power: 35W</p> <p>Tank Size: 155 × 95 × 52mm</p> <p>Overall Size: 200 × 140 × 125mm</p> <p>N.W./G.W: 0.9/1.1kg</p> <p>Giftbox size: 245 × 174 × 165mm</p> <p>Carton size: 12pcs/ctn, 546 × 509 × 355mm</p>

For Any Technical Questions, Please Contact at info@nodesus.com

VGT-6250	<p>Ultrasonic Frequency: 40 kHz</p> <p>Tank Material: Stainless Steel SUS304</p> <p>Tank Capacity: 2500ml</p> <p>Timer: 5 cycles: 180s-280s-380s-480s-90s</p> <p>Power Supply: AC100~120V, 60Hz;AC220~240V, 50Hz</p> <p>Power: 65W</p> <p>Tank Size: 245 × 155 × 80mm</p> <p>Overall Size: 305 × 235 × 215mm</p> <p>N.W/G.W: 2.5/2.95kg</p> <p>Giftbox size: 340 × 273 × 252mm</p> <p>Carton size: 4pcs/ctn, 560 × 355 × 529mm</p>
KD-6002	<p>Voltage: AC100~120V, 60Hz AC220~240V, 50Hz</p> <p>OSO capacity: \geq 200mg/h</p> <p>Ozone consume power: \leq 10W</p> <p>Ultrasonic consume power: 100W</p> <p>Ultrasonic frequency: 40kHz</p> <p>Capacity: 12.8L</p> <p>Tank size: 340 × 310 × 150mm</p> <p>Overall size: 415 × 375 × 230mm</p> <p>Unit G.W: 5.5kg</p> <p>Time Setting: 3-6-9 mins, 5-10-15 mins, 8-16-24 mins</p>