

For Any Technical Questions, Please Contact at info@nodesus.com

Product Name: JY Solar Garden Lawn Light


Part Number: LSS267,LSS269,JYLSS411,LSS463,LSS272,LSS579,LSS556,
LSS475,LSS017,LSS379,LSS575,LPL175,LPL331,GB004 ,LSS421-1, SO041,
JYSTP028,JYSGL012,JYLPL184,2K19LS423,LPL522-S, LPL581, SLT033

Product Description:

1. Sensitive sensing, large area storage of light energy, fast photoelectric conversion rate 4 hours of charging, lights up all night for your continuous service.
2. 1200mAh real standard capacity has long service life and longer lighting life.
3. Simple installation, quick operation, easy to use and easy to use.
4. High temperature resistance, more suitable for outdoor environment
Strong power storage capacity
5. High brightness, low energy consumption, energy saving and environmental protection, long service life.

For Any Technical Questions, Please Contact at info@nodesus.com

Product Specification:


Model	Specification
LSS267	<p>Solar panel: crystalline solar panel 2V/120MA LED: 1pc SMD LED 2835 0.2W 2800-3200K Battery: 1pc NI-MH AA1.2V 700MAH rechargeable battery Switch: pull-tag Working time: 8 hours Materials: plastic, stainless steel, glass Packing size: 1pc / inner box, 18.5*18.5*22.0cm, 0.57kg; 8pcs / carton box, 39.6*39.6*47.0cm, 4.85kg</p> 
LSS269	<p>Product size: Dia. 150mm, H.463mm Solar panel: crystalline solar panel 2V/120MA LED: 1pc SMD LED 2835 0.2W 2800-3200K Battery: 1pc NI-MH AA1.2V 600MAH rechargeable battery Switch: pull-tag Working time: 8 hours Materials: plastic, stainless steel, glass Packing size: 1pc / inner box, 22.5*19.0*19.5cm, 0.67kg; 20pcs / carton, 100*47*43cm</p>

For Any Technical Questions, Please Contact at info@nodesus.com

	
JYLSS411	<p>Product size: 9*9*41/32cm Solar Panel: crystalline solar panel 2V/80MA (Φ 55*2.8mm) LED: 1pc Φ 5 warm white LED Color temperature: 2800-3200K Battery: 1pc NI-MH battery AAA1.2V 500MAH Working time: 8 hours Material : stainless steel top hat, glass lens, stainless steel post , plastic ground stake Packing size: 6pcs / inner box, 16pcs / master carton</p> 

Engineering Your Needs

For Any Technical Questions, Please Contact at info@nodesus.com

LSS463	<p>Product Size: 15*15*42.5cm Solar panel; crystalline solar panel 2V/150MA (Φ 80mm) LED:1pc SMD LED 2835 0.2W Color temperature:2800-3200K Lumen output: 10 lumen Battery: 1pc NI-MH AA 1.2V 1000MAH rechargeable battery Material: stainless steel top hat, glass lens, die cast cage, stainless steel post, plastic ground stake Packing size: 1pc / inner box, 15.5*15.5*23.8cm, 0.8kg; 12pcs / carton, 49.6*33.6*50.6cm, 9.95kg</p> 
LSS272	<p>Product size: 17 * 17 * 58 / 45cm Solar panel:crystalline solar panel 2V/120MA (Φ 80mm) LED:1pc SMD LED 2835 0.2W Color temperature:2800-3200K Lumen output: 10 lumen Battery: 1pc NI-MH AA 1.2V 1000MAH rechargeable battery Material: stainless steel top hat, glass lens, die cast cage, stainless steel post, plastic ground stake Packing size: 1pc / inner box, 21*21*27cm, 0.9kg; 4pcs / carton, 57.6*44.6*45cm</p>

For Any Technical Questions, Please Contact at info@nodesus.com




LSS579

Solar Panel: crystalline solar panel 2V/220MA (90*90mm)
LED: 1pc warm white filament LED
Color temperature: 3000K+/-200K
Outputting: 10LM
Battery: 1pc NI-MH AA1.2V 1200MAH rechargeable battery
Working Time: up to 8 hours
Switch: pull-tag
Material: die-cast cage, stainless steel top cover & post,
glass lens, plastic base & battery box, ground stake
Packing size:1pc/inner box, 18.5X18X27.5cm, 1.13kg;
8pcs / carton
Or 2pc/ inner box, 31.5X21X26.5cm, 2.2kg; 8pc/carton



For Any Technical Questions, Please Contact at info@nodesus.com

LSS556	<p>Size: 17*17*61.6/45cm Solar panel: crystalline solar panel 2V/220mA (65*65mm) LED: 1pc warm white filament LED 3000K+/- 200K Battery: 1pc NI-MH AA1.2V 1200MAH rechargeable battery Switch: pull-tag Working time: 8 hours Materials: die-cast aluminum,glass,plastic,Stainless steel Packing size: 1pc / inner box, 21X21X27cm, 1.15kg; 8pcs / carton, 58X44.6X45cm, 8.5kg Or 2pcs / inner, 34.5*21*26cm, 2.3kg; 8pcs / carton, 88.8*36.8*57cm, 8.5kg</p> 
LSS475	<p>Size: 13*13*56.5cm Solar panel:crystalline solar panel 2V/150MA (100*100mm) Battery:1pc NI-MH AA1.2V 1000MAH rechargeable battery LED:1pc filament white LED 5000K+/- 500K Outputting: 10LM Working time: up to 8 hours Material:die-cast aluminum cage,stainless steel post, plastic stake,glass lens Packing size: 1pc / inner box, 19.5*17*31.5cm, 0.55kg; 8pcs / carton, 72.5*41.6*34.2cm</p>

For Any Technical Questions, Please Contact at info@nodesus.com



LSS017

Product size: ϕ 12cm

Solar panel: crystalline solar panel 2V 80MA

Battery: 1pc NI-MH AA 1.2V 400MAH

LED: 1pc copper wire string light with 20 LED, 1pc colors changing LED

Working time: about 8 hours after fully charge

Material: stainless steel ,glass , plastic

Packing size: 1pc / inner box, 16.5*16.5*31.5cm, 1.2kg;
6pc / master carton. 53*35.6*34.3cm





For Any Technical Questions, Please Contact at info@nodesus.com

LSS379	<p>Product size: 6.3*6.3*29.5cm Solar panel: crystalline solar panel 3V 15MA Battery: 1pc NI-MH AA 1.2V 150MAH LED: 1pc white LED 6000-7000K 5-6LM Working time: 8 hours after fully charge Material: stainless steel ,glass , plastic Finish :stainless steel Packing size: 2pcs / inner box, 18*17*14.2cm; 10 inner / master carton, 78.5*37*20.3cm,9.3kg</p> 
LSS575	<p>Product size: 8.2*8.2*40.5cm Solar panel: crystalline solar panel 2V/150MA (Φ 75mm) LED: 1pc warm white filament LED 3000K+/-200K Battery: 1pc NI-MH AA 1.2V 1000MAH rechargeable battery Switch: ON/OFF Working time: 8 hours Materials:plastic Packing size: 2pcs / inner box, 17.5*9.5*41.5cm, 0.5kg; 8pcs / carton box, 37.6*21.6*44.3cm</p>

For Any Technical Questions, Please Contact at info@nodesus.com

	
LPL175	<p>Solar Panel: Amorphous solar panel 2.4V/35mA (50*50mm) 1PCS Battery: NI-MH AA 1.2V 200mAh 1PCS LED: ϕ 5 white LED 0.06W Color Temperature: 6000-7000K 1PCS Lumen: 0.5LM constant current Working hours: 8 hours Switch: ON/OFF Switch Material: Plastic Packing size: 6pcs / inner box, 29*14*21.5cm, 1.126kg; 60pcs / carton, 83.5*30.3*46.2cm</p> 

For Any Technical Questions, Please Contact at info@nodesus.com

<p>LPL331</p> <p>1pc</p> <p>warm</p> <p>white</p> <p>LED</p>		<p>Solar Panel: Crystalline solar panel 2v 35ma</p> <p>Battery:1pc NI-MH AAA 1.2V 200MAH rechargeable battery</p> <p>LED: 1pc warm white LED</p> <p>Working hours: 8 hours</p> <p>Material: Plastic</p> <p>Packing size: 1pc / inner box, 12*10*15cm; 24pcs / master carton, 44.5*39.5*33.8cm</p> 
	<p>1pc</p> <p>colors</p> <p>LED</p>	<p>Solar Panel:Crystalline solar panel 2V 35ma</p> <p>Battery:1pc NI-MH 2/3 AAA 1.2V 200MAH rechargeable battery</p> <p>LED: 1pc colors changing LED</p> <p>Working hours: 8 hours</p> <p>Material: Plastic</p> <p>Packing size: 6pcs / inner box, 15*10.5*13.5cm; 72pcs / master carton, 35*32.6*30.8cm</p> 

For Any Technical Questions, Please Contact at info@nodesus.com

<p>GB004 Crackle Ball Solar Light</p>	<p>Solar panel : Crystalline Solar panel 1.8V/10MA (30*30*3.2mm)</p> <p>LED: 1pc ϕ 5 white LED LED 4000-5000K+1pc ϕ 5 LED ϕ 5 Colors changing</p> <p>Battery: 1pc NI-MH 2/3AAA1.2V 100MAH</p> <p>Working hours: 8 hours</p> <p>Switch: 2 way switch</p> <p>Material : stainless steel, Crackle ball, plastic</p> <p>Packing size: 4pcs / inner, 32.5*10.5*13.5cm, 1.2kg; 16pcs / master carton, 34.3*23.6*31cm</p> <div data-bbox="568 724 1079 1029"> </div>
<p>LSS421-1</p>	<p>Size: 21.6*21.6*78/65cm</p> <p>Solar Panel: crystalline solar panel 3.5V 250MA</p> <p>LED: 1pc warm white filament LED</p> <p>Color temperature: 3000K+/-200K</p> <p>Outputting: 10LM</p> <p>Battery: 1pc NI-MH AA1.2V 1500MAH rechargeable battery</p> <p>Working Time: up to 8 hours</p> <p>Switch: pull-tag</p> <p>Material: die-cast cage, stainless steel top cover & post, glass lens, plastic base & battery box, ground stake</p> <p>Packing size: 1pc / inner carton, 28.5*26*36cm; 4pc / carton, 44*27.6*34.5cm Or 4pc/ inner carton, 59.8*54.8*38.8cm; 12pc/ carton, 83.5*44.8*71cm</p>





For Any Technical Questions, Please Contact at info@nodesus.com

	
SLT033	<p>Size: 20.0*20.0*79.1cm Solar panel: 2pcs Crystalline 4.5V/80MA(40*100mm) LED: 2pcs SMD white 2835 0.2W 4500K Battery: 1pc 3.7V 18500 800mah rechargeable battery Lumen: 30LM Working hours: 8h Switch: ON/OFF Packing size: 2pcs / inner carton, 42.5*24.5*33cm, 2.25kg; 6pcs / master carton, 75.8*43.6*34.8cm</p> 

For Any Technical Questions, Please Contact at info@nodesus.com

<p>SO041</p>	<p>Solar Panel: Amorphous solar panel 2.4V 15MA Battery: 1pc NI-MH AA 200MAH rechargeable battery LED: 2pcs white LED Material: Poly resin,Plastic Packing size: 2pcs / inner box, 31*14.5*18cm; 12pcs / master carton,64.6*47*40.0cm</p>  
<p>JYSTP028</p>	<p>Size:9.8*9.8*5.2cm LED: 4pcs white LED 0.06W 10LM Solar panel: Crystalline solar panel 4V/40MA (60*60mm) Battery: 1pc LI-FE 14430 3.2V 200MAH Material: glass, plastic Packing size: 6pcs / color box; 16pcs / master carton</p> 


For Any Technical Questions, Please Contact at info@nodesus.com

JYSGLO12	<p>Size: 10.5*10.5*9.0cm LED: 1pc SMD LED Solar panel: Crystalline solar panel 4V/50MA Battery: 1pc LI-FE 14500 3.2V 300MAH Material: glass, plastic Packing size:6pcs / color box; 16pcs / master carton</p>    
JYLPL184	<p>Size: 10.5*7.5*80cm Solar Panel: crystalline solar panel 2V/45mA Battery: 1pc NI-CD AA 1.2V 200MAH rechargeable battery LED: copper wire string light 10pcs LED Working hour: 8 hours after fully charged Material: plastic Packing size:2pcs / inner box, 44.5*11.5*9.5cm; 18pcs / master carton,6.3*38*33.6cm</p>


For Any Technical Questions, Please Contact at info@nodesus.com

	
2K19LS423	<p>Size: 8.2*8.2*41.7 Solar panel : epoxy crystalline solar panel 2V/150MA (Φ75mm) Battery: 1pc NI-MH AA1.2V 1000mAh rechargeable battery LED: 1pc SMD 0.5W IM=100MA warm white 2.6-3.5V Color temperature: 2800-3200K Output lighting: 10 LM Material: plastic</p> 

For Any Technical Questions, Please Contact at info@nodesus.com

<p>LPL522-S</p>	<p>Size: 9.6*4.7*34/25cm Solar Panel: Amorphous solar panel 1.8V/10MA (30*30*3.2mm) LED: 1pc warm white Φ5 LED 0.06W 2800-3200K Lumen: 0.29LM Battery: 1pc Ni-MH battery 2/3AA 1.2V/100mAh Switch: pull-tag Working Time: 8h Material: plastic 12pcs / inner box, 14.4*14.0*33.8cm 48pcs per carton, 60*48.8*38.4cm</p> 
<p>LPL581</p>	<p>Product size: 8.1*8.1*33.8CM Solar panel: crystalline solar panel 2V/160MA (60*60mm) LED: 1pc SMD LED 2835 0.2W 2800- 3200K Battery:1pc NI-MH AA1.2V 800MAH rechargeable battery Switch: pull-tag Working time: 8 hours Materials: plastic Packing size: 6pcs / inner box, 26*18.5*36cm, 36pcs / carton box, 57*56.4*40.5cm; Or 1pc / inner box, 35.5*9*9.6cm, 0.415kg; 12pcs / carton box, 41.5*38.3*34.8cm, 5.55kg</p>

For Any Technical Questions, Please Contact at info@nodesus.com



nodesus
Engineering Your Needs